05 12125 05 12125

Submission to the National Children's Commission Enquiry into Childhood Self Harm

In	my 16-year-old son	took his own life.	. He was my only child.
	was a bright young mar	n, a good student and sportsmen.	
	t 2 I/2 year prior to his o a paediatricia Roaccutane.	death had been receiving an and dermatologist. The treatm	g treatment for severe acne from nent prescribed by was
	g commencement of thi d aggressive. He was als	is treatment behaviour so increasingly socially isolated an	began to change. He became very nd reduced his sporting activities
this medi		e I noted that depression and suice sed his change in behaviour with as.	cide were possible side-effects of who denied Roaccutane
		Roaccutane was first developed a o normal healthy young people.	s a cancer drug this seemed to be a
psychiatr	fter he commenced tre ist . I also rais	atment with Roaccutane I sought ed my concerns about Roaccutan of the drug and he consulted with	ne with the psychiatrist who
Following received	death I made a copy of the coroner's	e two submissions to the Victoria report.	n coroner and subsequently
informati mention of United St Further re against the effects of	on pamphlets contained of anger and aggression ates in 2002 by order of esearch on the Internet are manufacturer and that this drug.	revealed that there were a numb at there was great concern about	ed here in Australia made no dication, leaflets published in the ation warned of the side-effects. her of legal actions being taken the potential psychological side-
I firmly be	lieve that the use of Ro	accutane contributed to my son	problems with mental

health and ultimately to his suicide.

I have attached a collection of documents to this submission including a letter I prepared earlier today which also contains my concerns regarding the drug Roaccutane and its undisclosed mental health side-effects..

I would be happy to present oral evidence to the enquiry. I can be contacted on

I would also like to register my disappointment at the apparent lack of publicity of this enquiry. It was only by sheer chance that I was told by a friend and subsequently found an article in a newspaper that I became aware of the enquiry and had the opportunity to make a submission. I feel that enquiries such as this should be advertised widely in all media outlets.

I am aware of two other young male suicides in where the victims had been using Roaccutane prior to their deaths. It is possible that far more submissions would be received had these families and others that may be affected been aware of the enquiry.

05 June 2014